



Klemsan®

304161 AVK 16

25 mm², screw type, single deck feed through terminal block, Insulating material PA, Blue

General Product Information	Insulating material	PA
	Inflammability class acc. to UL 94	V2
	Packing Unit	50
	Weight (g)	
Dimensions	Width	12 mm
	Length	50.0 mm
	Height (MR 32)	— mm
	Height (MR 35x7.5)	55.5 mm
TSE / CE Technical Data	Nominal Voltage	750 V ~
	Nominal Current	76 A
	Cross Section	16 mm ²
	Norm	EN 60947-7-1
VDE Technical Data	Nominal Voltage	750 V ~
	Nominal Current	76 A
	Cross Section	16 mm ²
	VDE Norm	IEC 60947-7-1
UL / CSA Technical Data	Nominal Voltage	600 V ~
	Nominal Current	85 A
	Cross Section	AWG/12-4
ATEX Technical Data	Nominal Voltage	630 V ~
	Nominal Current	66 A
	Cross Section	10
Connection Data	Minimum solid strand cross section	1.5 mm ²

Maximum solid Strand cross section	16 mm ²
Minimum fine Strand cross section	1.5 mm ²
Maximum fine strand cross section	16 mm ²
AWG Conductor Range	12-4
Connection Type	screw/vidalı
Insulation Stripping length	12 mm
Tightening torque	1.2 Nm



Alçak Gerilim direktiflerine uygunluk belgesi - VDE Certificate

Türk Standartlarına Uygunluk Belgesi - TSE Certificate

Ukrayna Uygunluk Sertifikası - Ukrayna Uygunluk Sertifikası

Avrupa standartlarına uygunluk belgesi - CE Certificate

UL Sertifikası - UL Certificate

Norveç onaylı denizcilik sektöründe kullanılabilirlik belgesi - DNV Certificate

LAPEM - RETIE Sertifikası - LAPEM - Retie Certificate

Order Info

■	304160	25 mm ² ,screw type,single deck feed through terminal block,Insulation material PA,Grey
■	304161	25 mm ² ,screw type,single deck feed through terminal block,Insulation material PA,Blue
■	304162	25 mm ² ,screw type,single deck feed through terminal block,Insulation material PA,Green
■	304163	25 mm ² ,screw type,single deck feed through terminal block,Insulation material PA,Yellow
■	304164	25 mm ² ,screw type,single deck feed through terminal block,Insulation material PA,Red
■	304169	25 mm ² ,screw type,single deck feed through terminal block,Insulation material PA,Beige
■	304165	25 mm ² ,screw type,single deck feed through terminal block,Insulation material PA,Black
□	304166	25 mm ² , Screw connection, Feed-through terminal block, Insulation material PA, White
■	304167	25 mm ² , Screw connection, Feed-through terminal block, Insulation material PA, Orange
■	304168	25 mm ² , Screw connection, Feed-through terminal block, Insulation material PA, Brown

